

**IBM**

*P1000-017*

*Technical Sales Foundations for IBM QRadar for Cloud (QRoC) V1*



**For More Information – Visit link below:**

**<https://www.examsboost.com/>**

## **Product Version**

- ✓ Up to Date products, reliable and verified.
- ✓ Questions and Answers in PDF Format.

### Question: 1

In addition of United states of America in which other countries are Qradar on cloud deployed

- A. Belgium, Colombia, France, Indonesia
- B. Ireland, Luxembourg, panama, Romania
- C. Denmark, India, Netherlands, South Africa
- D. Brazil, Canada, Germany, United Kingdom

**Answer: D**

### Question: 2

What statement describes the value QFlow Flow Data Provides, within QRadar

- A. QFlow flow data contains vulnerability information that can be searched or tested in rules
- B. QFlow flow data contains calculated file hash data that can be searched or tested in rules
- C. QFlow Flow data contains unencrypted payload content that can be searched or tested in rule
- D. QFlow flow data contains high-level and low-level event categorization that can be searched and tested in rule

**Answer: C**

### Question: 3

When no Flows are being collected by a single QRadar on cloud data gateway, what is the maximum events per second supported by that data gateway?

- A. 2000 EPS
- B. 10000 EPS
- C. 25000 EPS
- D. 50000 EPS

**Answer: B**

### Question: 4

---

What is an administrative roles available to Qradar on cloud customers

- A. Root
- B. Operator
- C. Full Admin
- D. SaaS Admin

**Answer: D**

### Question: 5

Who has full admin access to the QRadar on cloud environment?

- A. Dev Ops
- B. All users
- C. SaaS Admin
- D. QROC Admin group

**Answer: A**

### Question: 6

When is Dev Ops Authorized to access the Stored Data in QRadar on Cloud?

- A. Anytime
- B. Upon the customer request
- C. When setting up log sources
- D. When authorized by DevOps Manager

**Answer: D**

### Question: 7

Why are offenses created in Qradar?

- A. To correlate index properties grouped in dashboards
- B. To eliminate the need to perform security investigations
- C. To group non correlated vulnerabilities data into single view
- D. To connect multiple suspicious symptoms into a single incident

---

**Answer: D**

**Question: 8**

Which logic operator is used in QRadar to link Custom Rules Tests?

- A. AND and OR
- B. AND NOT and OR
- C. AND and AND NOT
- D. AND, AND NOT and OR

**Answer: C**

---

# Thank You for Trying Our Product

Discount Coupon Code:

**EXAMSBOOST10**

For More Information – **Visit link below:**

**<http://www.examsboost.com/>**



## FEATURES

- ✓ **90 Days Free Updates**
- ✓ **Money Back Pass Guarantee**
- ✓ **Instant Download or Email**

**Attachment**

- ✓ **24/7 Live Chat Support**
  - ✓ **PDF file could be used at any**
- Platform**

- ✓ **50,000 Happy Customer**