

**IBM**

**C1000-091**

*IBM Cloud Pak for Automation v19.0.3 Administration*



**For More Information – Visit link below:**

**<https://www.examsboost.com/>**

## **Product Version**

- ✓ **Up to Date products, reliable and verified.**
- ✓ **Questions and Answers in PDF Format.**

---

# Latest Version: 8.0

## Question: 1

Which IBM Cloud Pak for Automation component needs post-deployment configuration to allow users to access Kibana dashboards?

- A. IBM Automation Digital Worker
- B. IBM FileNet Content Manager
- C. IBM Business Automation Content Analyzer
- D. IBM Business Automation Insights

**Answer: A**

<https://www-01.ibm.com/common/ssi/cgi-bin/ssialias?infotype=AN&subtype=CA&htmlfid=897/ENUS219-477&apname=USN>

## Question: 2

When installing IBM Business Automation Studio, what is the difference between an App Engine Playback Server compared to an App Engine Server for production usage?

- A. The App Engine Playback Server supports other databases like PostgreSQL or Oracle.
- B. The App Engine Playback Server runs embedded in the BASTudio container.
- C. The App Engine Playback Server does not contain all features.
- D. The App Engine Playback Server does not allow Remote Dictionary Server (Redis).

**Answer: B**

## Question: 3

Which reclaim policy is recommended for enabling manual recovery of data after deletion of a persistent volume claim?

- A. Delete
- B. Active
- C. Retain
- D. Recycle

**Answer: C**

<https://kubernetes.io/docs/concepts/storage/persistent-volumes/>

### Question: 4

Which component must be installed before installing Business Automation Application Engine?

- A. Application Engine Studio
- B. User Management Service
- C. Business Automation Insights
- D. Business Automation Studio

**Answer: B**

### Question: 5

The following information is displayed after running the `oc get pods -n db2` command:

NAME	READY	STATUS	RESTARTS	AGE
test-pod	0/1	Init:ImagePullBackOff	0	2m45s

What is the best way to see the root cause of this error?

- A. `oc describe pods test-pod -n db2`
- B. `oc debug pods test-pod -n db2`
- C. `oc exec -it pods test-pod -n db2 -- bash`
- D. `oc logs pods test-pod -n db2`

- A. Option A
- B. Option B
- C. Option C
- D. Option D

**Answer: C**

### Question: 6

Where is the number of replicas defined for IBM Automation Digital Worker, when high availability is required?

- A. In the route definitions of the Digital Worker
- B. In the worker node configuration

- 
- C. In the secret.yaml file for ADW
  - D. In the Custom Resource (CR) definition

**Answer: D**

[https://www.ibm.com/support/knowledgecenter/SSYHZ8\\_20.0.x/com.ibm.dba.managing/op\\_topics/tsk\\_adw\\_prepare\\_fault\\_tol.html](https://www.ibm.com/support/knowledgecenter/SSYHZ8_20.0.x/com.ibm.dba.managing/op_topics/tsk_adw_prepare_fault_tol.html)

---

# Thank You for Trying Our Product

Discount Coupon Code:

**EXAMSBOOST10**

For More Information – **Visit link below:**

**<http://www.examsboost.com/>**



## FEATURES

- ✓ **90 Days Free Updates**
- ✓ **Money Back Pass Guarantee**
- ✓ **Instant Download or Email**

### Attachment

- ✓ **24/7 Live Chat Support**
- ✓ **PDF file could be used at any**

### Platform

- ✓ **50,000 Happy Customer**