

SAS Institute

A00-234

SAS Certified Professional - Advanced Programming Using SAS 9.4 Delta



For More Information – Visit link below:

<https://www.examsboost.com/>

Product Version

- ✓ Up to Date products, reliable and verified.
- ✓ Questions and Answers in PDF Format.

Latest Version: 6.0

Question: 1

Open a new programming window to create SQL13.sas in c:\cert\programs You will need to use a subquery to meet the requirements of this project.

Write a SAS program that will:

- Perform an SQL query to create an output table work.BigFish13 that contains only these columns: Species
- AvgWeight. Calculate this variable as the aggregate average (mean) of Weight for each Species of fish.
- Filter the results to include only species with an AvgWeight that is greater than the median Weight of all fish in the cert.fish13 table.
- Your program must produce the table work.BigFish13 in a single step without creating any additional intermediate tables.
- The log must not show a remerge of summary statistics.

Run your program and troubleshoot as necessary. When you are finished with the project, answer the questions below.

What is the grand total of the AvgWeight variable in the output data set?

Response:

- A. 2258
- B. 2257
- C. 2259
- D. 2358

Answer: A

Question: 2

Given the following partial SAS Log:

```

11 %macro test;
12   %if &a=5 %then %do;
13     proc print data=sashelp.prdsale;
14     run;
15   %end;
16   %else %put a is not 5;
17 %mend;
18
19 %let a=5;
20 %test
????(TEST): Beginning execution.
????: Macro variable A resolves to 5
????(TEST): %IF condition &a=5 is TRUE
????(TEST): proc print data=sashelp.prdsale;
????(TEST): run;

```

Which of the following SAS System options prevents the display of the note Macro variable A resolves to 5 in the SAS log?

Response:

- A. NOMLOGIC
- B. MAUTOSOURCE=NONE
- C. NOSYMBOLGEN
- D. NOMAUTOLOCDISPLAY

Answer: C

Question: 3

This scenario uses the Certadv.Airports and Certadv.Continent data sets. Write a SAS program that does the following:

- Write a SAS DATA step that reads the Certadv.Airports data set and creates two temporary data sets named Work.Success and Work.Fail.
- During the first iteration of the DATA step, load a hash object named C from the data set Certadv.Continent.
- Use the numeric variable ID as the key component.
- Use the character variable CtName as the data component.
- Assign a length of 30 for the character variable CtName.
- Set the initial value to missing to eliminate the uninitialized variable note.

- In the DATA step, look up the value of ID variable from Certadv.Airports in the C hash object.
- Retrieve the value of CtName from the hash object.
- Create a variable named RC that contains a numeric value representing whether a match is found.
- Store the results of successful lookups in the Work.Success data set.
- Store the results of the unsuccessful lookups in the Work.Fail data set.

How many observations are in the Work.Fail data set?

Response:

- A. 5
- B. 4
- C. 2
- D. 3

Answer: D

Question: 4

Open a new programming window to create ACT22.sas in c:\cert\programs. Write a SAS program to load the cert.division22 data set into a HASH object.

Use the following guidelines:

- DIV is the key component containing the Division code
- League and Division are the data components and should be defined with a character variable length of 10 bytes.
- Perform a lookup on the cert.teams22 data set to combine the Division codes with their description. Store the results in the work.ACT22 data set.

Run your program and troubleshoot as necessary. When you are finished with the project, answer the questions below.

What is the value of variable DIV for the observation that has variable team = Boston?

Solution: AE

Determine whether the given solution is correct?

Response:

- A. Incorrect
- B. Correct

Answer: B

Question: 5

Open a new programming window to create SQL02.sas in c:\cert\programs

Write a SAS program that will:

- Perform an SQL query to create a table named work.SQL02 by concatenating cert.prdsal2 and cert.prdsal3.
- These data sets contain the same variables.

Work.SQL02 must contain:

- One row for all the unique combinations of PRODUCT and PRODTYPE when combining cert.prdsal2 and cert.prdsal3
- Only the two columns PRODTYPE and PRODUCT
- Order the data in descending order by PRODTYPE

Run the Program and troubleshoot as necessary. When you are finished write the project, answer the below questions.

How many columns are in the output data set?

Response:

- A. 5
- B. 4
- C. 3
- D. 2

Answer: D

Question: 6

This scenario uses the Certadv.Schedule data set. Write a SAS program that does the following:

- Create a macro named CourseLoc with no parameters.
- Use the SQL procedure to create a series of macro variables named LOC1, LOC2, and so on, that store the distinct values of the Location column in the Certadv.Schedule table.
- Use the %DO loop to execute a PROC PRINT step once for each LOCn macro variable that is created. The PROC PRINT step should filter data based on the value of Location and the LOCn macro variable. Add a title with the text 'Courses Offered in' and substitute the value of the LOCn macro variable.
- Call the CourseLoc macro program.

What is the observation number where the Course_Code is C001, and Location is Boston?

Response:

- A. 43
- B. 13
- C. 33
- D. 23

Answer: B

Question: 7

Which PROC SQL step generates the following output from the tables Certadv.Dogs and Certadv.Pets?

Dogs

Name	Price
FIFI	\$101
GEORGE	\$75
SPARKY	\$136
TRUFFLE	\$250

Pets

Name	Price	Arr
ANA	\$25	08OCT2018
FIFI	\$101	20JUL2018
GAO	\$57	08DEC2017
GAO	\$57	08DEC2017
SPARKY	\$136	16SEP2018
TRUFFLE	\$250	18AUG2018
ZEUS	\$500	03APR2018

PROC SQL Query Result

Name	Price
ANA	\$25
GAO	\$57
ZEUS	\$500

Response:

A. procsql;
select name, price
from certadv.pets except all
select *
from certadv.dogs;
quit;

B. procsql;
select name, price
from certadv.pets except corr all
select *
from certadv.dogs;
quit;

C. procsql;
select name, price
from certadv.pets except
select *
from certadv.dogs;
quit;

D. procsql;
select *
from certadv.dogs except corr
select name, price

fromcertadv.pets;
quit;

Answer: C

Question: 8

This scenario uses the Certadv.Schedule data set. Write a SAS program that does the following:

- Create a macro named CourseLoc with no parameters.
- Use the SQL procedure to create a series of macro variables named LOC1, LOC2, and so on, that store the distinct values of the Location column in the Certadv.Schedule table.
- Use the %DO loop to execute a PROC PRINT step once for each LOCn macro variable that is created. The PROC PRINT step should filter data based on the value of Location and the LOCn macro variable. Add a title with the text 'Courses Offered in' and substitute the value of the LOCn macro variable.
- Call the CourseLoc macro program.

What is the value of Location for observation 18?

Solution: Dallas

Determine whether the given solution is correct?

Response:

- A. Correct
- B. Incorrect

Answer: A

Question: 9

The following SAS program is submitted:

```
%macro mysum(n);  
%if &n > 1 %then %eval(&n + %mysum(%eval(&n-1)));  
%else &n;  
%mend;  
%put %mysum(4);
```

Which output is written to the log?

Response:

- A. 4+3+2+1
- B. 7
- C. 10
- D. A character operand was found in the %EVAL function or %IF condition where a numeric operand is required.

Answer: C

Question: 10

This scenario uses the Certadv.Salesstaff data set. Write an SQL query that does the following:

- Create a report that displays the total salary and total count for each unique JobTitle.
- Use a SAS function to concatenate a string that combines the constant text 'Total Paid to All' with the value of JobTitle and the constant text 'Staff'. For example, the string should be displayed in the output as 'Total Paid to All Sales Rep. I Staff'.
- Find the total salary for each unique JobTitle. Use the DOLLAR14. format and a label of TotalSalary.
- Use a function to count the total number of sales representatives in each unique JobTitle. Use the COMMA14. format and a label of Total.
- Summarize the data in the Certadv.Salesstaff data set for those rows that have a unique JobTitle.

What is the total paid to all Sales Rep. II staff?

Solution:\$1,377,442

Determine whether the given solution is correct?

Response:

- A. Incorrect
- B. Correct

Answer: B

Question: 11

Reference Scenario: [click here](#)

What is the value of Final_Cost for observation 282?

Response:

- A. 282
- B. 688
- C. 438
- D. 144

Answer: B

Question: 12

If a macro trigger is embedded in a literal token and you want the trigger to resolve, then the literal string must be enclosed in double quotation marks.

Response:

-
- A. False
B. True

Answer: A

Thank You for Trying Our Product

Discount Coupon Code:

EXAMSBOOST10

For More Information – **Visit link below:**

<http://www.examsboost.com/>



FEATURES

- ✓ **90 Days Free Updates**
- ✓ **Money Back Pass Guarantee**
- ✓ **Instant Download or Email**

Attachment

- ✓ **24/7 Live Chat Support**
 - ✓ **PDF file could be used at any**
- Platform**

- ✓ **50,000 Happy Customer**