

Hitachi

HQT-6712

Hitachi Vantara Global-Active Device Management and Operations Professional



For More Information – Visit link below:

<https://www.examsboost.com/>

Product Version

- ✓ Up to Date products, reliable and verified.
- ✓ Questions and Answers in PDF Format.

Latest Version: 6.0

Question: 1

When expanding a mapped GAD volume, which of the following are required?

(Choose Two)

Response:

- A. Increase the volume size at both the primary and secondary sites
- B. Re-sync the GAD pair
- C. Unmap the volume from all hosts
- D. Ensure no I/O operations are occurring

Answer: A,B

Question: 2

During a network failure between sites, how does GAD maintain data integrity?

Response:

- A. By stopping all I/O operations to the primary site
- B. Through a journaling system that records write operations
- C. By redirecting all writes to the quorum device
- D. Utilizing a split-brain avoidance mechanism

Answer: D

Question: 3

How is the user interface of Hitachi Ops Center Protector designed to facilitate the management of GAD pairs?

Response:

- A. By allowing drag-and-drop functionality in GAD pair configurations
- B. By using wizards to guide the configuration of GAD pairs
- C. By providing templates for quick GAD pair creation
- D. All of the above

Answer: D

Question: 4

In the expansion of a GAD volume using CCI, what is the correct order of operations?

(Choose Three)

Response:

- A. Modify the volume size specification
- B. Perform a resynchronization of the volume
- C. Use the pairresync command
- D. Ensure no other modifications are performed until the resync completes

Answer: A,C,D

Question: 5

Which of the following statements about GAD I/O modes is correct?

(Choose Three)

Response:

- A. Synchronous mode offers the highest level of data protection.
- B. Asynchronous mode is recommended for environments where data consistency is not critical.
- C. In parallel mode, data is written independently to primary and secondary sites.
- D. Consistency mode requires manual reconciliation of data post-failure.

Answer: A,B,C

Question: 6

Post-recovery testing should include _____ to confirm the system's operational integrity.

Response:

- A. performance benchmarking
- B. data consistency checks
- C. user permission audits
- D. hardware evaluations

Answer: B

Question: 7

Using Hitachi Ops Center, which action is required to add a GAD volume to an existing pair?

Response:

- A. Modify the existing pair
- B. Create a new GAD group
- C. Use the "Add Volume" configuration
- D. Reinitialize the primary and secondary volumes

Answer: C

Question: 8

Following a GAD system failure, the recovery process involves re-establishing _____ between the primary and secondary sites.

Response:

- A. synchronization
- B. communication
- C. operations
- D. connectivity

Answer: A

Question: 9

Which types of migrations can be facilitated by GAD using Hitachi Ops Center Automator?

(Choose Three)

Response:

- A. Online data migrations between heterogeneous storage systems
- B. Offline migrations involving manual data handling
- C. Intra-data center migrations between GAD-configured volumes
- D. Inter-data center migrations under GAD configurations
- E. Cloud-based data migrations involving non-Hitachi storage

Answer: A,D,E

Question: 10

What are the implications of not halting I/O operations during a GAD volume expansion?

(Choose Two)

Response:

-
- A. Potential data corruption
 - B. Increased time for expansion
 - C. Possible interruption in user access
 - D. None; I/O operations do not affect GAD operations

Answer: A,C

Thank You for Trying Our Product

For More Information – **Visit link below:**

<https://www.examsboost.com/>

15 USD Discount Coupon Code:

G74JA8UF

FEATURES

- ✓ **90 Days Free Updates**
- ✓ **Money Back Pass Guarantee**
- ✓ **Instant Download or Email Attachment**
- ✓ **24/7 Live Chat Support**
- ✓ **PDF file could be used at any Platform**
- ✓ **50,000 Happy Customer**



Visit <https://www.examsboost.com/test/hqt-6712/>