

Juniper

JN0-637
Security - Professional (JNCIP-SEC)



For More Information – Visit link below:

<https://www.examsboost.com/>

Product Version

- ✓ Up to Date products, reliable and verified.
- ✓ Questions and Answers in PDF Format.

Latest Version: 6.0

Question: 1

Which two statements are true about ADVPN members?

(Choose two.)

Response:

- A. ADVPN members are authenticated using certificates.
- B. ADVPN members are authenticated using pre-shared keys.
- C. ADVPN members can use IKEv2.
- D. ADVPN members can use IKEv1.

Answer: A,C

Question: 2

Which two are true regarding secure wire on a Juniper SRX Series device?

(Choose two.)

Response:

- A. Interfaces in a secure wire bridge must be in the same VLAN.
- B. Interfaces in a secure wire bridge can be in different VLANs.
- C. An IRB interface is required in secure wire to allow traffic to be routed off of the secure wire.
- D. Traffic that is bridged with secure wire cannot be routed.

Answer: B,D

Question: 3

You are asked to download and install the IPS signature database to a device operating in chassis cluster mode. Which statement is correct in this scenario?

Response:

- A. The first synchronization of the backup node and the primary node must be performed manually.
- B. The IPS signature package must be downloaded and installed on the primary and backup nodes.
- C. The first time you synchronize the IPS signature package from the primary node to the backup node, the primary node must be rebooted.
- D. You must download and install the IPS signature package on the primary node.

Answer: B

Question: 4

You are deploying a virtualization solution with the security devices in your network. Each SRX Series device must support at least 100 virtualized instances and each virtualized instance must have its own discrete administrative domain. In this scenario, which solution would you choose?

Response:

- A. VRF instances
- B. virtual router instances
- C. logical systems
- D. tenant systems

Answer: C

Question: 5

How does secure wire mode differ from transparent mode?

Response:

- A. In secure wire mode, traffic can be modified using source NAT.
- B. In secure wire mode, no switching lookup takes place to forward traffic.
- C. In secure wire mode, security policies cannot be used to secure intra-VLAN traffic.
- D. In secure wire mode, IRB interfaces can be configured to route inter-VLAN traffic.

Answer: B

Question: 6

What is a function of UTM?

Response:

- A. bridge mode
- B. IPsec
- C. AppFW
- D. content filtering

Answer: D

Question: 7

You want to use selective stateless packet-based forwarding based on the source address. In this scenario, which command will allow traffic to bypass the SRX Series device flow daemon?

Response:

- A. set firewall family inet filter bypas3_flowd term t1 then virtual-channel stateless
- B. set firewall family inet filter bypaa3_flowd term t1 then skip-services accept
- C. set firewall family inet filter bypass__f lowd term t1 then packet-mode
- D. set firewall family inet filter bypass_flowd term t1 then routing-instance stateless

Answer: B

Question: 8

Which statement is true regarding the IPS modes on SRX Series devices?

Response:

- A. High-end devices can run in integrated mode or dedicated mode.
- B. High-end devices can only run in integrated mode.
- C. High-end devices can only run in dedicated mode.
- D. High-end devices can run in integrated mode and dedicated mode at the same time.

Answer: A

Question: 9

Which two describe Secure Wire on an SRX Series device?

(Choose two.)

Response:

- A. A bridge table lookup is performed on each frame.
- B. A bridge table lookup is not performed on each frame.
- C. Trunk mode is not supported.
- D. Trunk mode is supported.

Answer: B,D

Question: 10

You are deploying antispam on an SRX Series device. You want to use a spam block list server on the Internet. Which two statements are true?

(Choose two.)

Response:

- A. You must have an antispam license installed.
- B. You must configure the spam block server IP address.
- C. You must configure a qualified domain name of the spam block server.
- D. You must configure a DNS server on the SRX Series device.

Answer: A,D

Thank You for Trying Our Product

For More Information – **Visit link below:**

<https://www.examsboost.com/>

15 USD Discount Coupon Code:

G74JA8UF

FEATURES

- ✓ **90 Days Free Updates**
- ✓ **Money Back Pass Guarantee**
- ✓ **Instant Download or Email Attachment**
- ✓ **24/7 Live Chat Support**
- ✓ **PDF file could be used at any Platform**
- ✓ **50,000 Happy Customer**



Visit <https://www.examsboost.com/test/jn0-637/>